DEPARTMENT OF HEALTH & HUMAN SERVICES



2098 Gaither Road Rockville MD 20850

Food and Drug Administration

SEP 1 3 2001

Ms. Stacey Bolen Regulatory Specialist Medline Industries, Inc. One Medline Place Mundelein, IL 60060-4486

Re:

k011240

Trade/Device Name: EvenCare™ Blood Glucose Monitoring System

Regulation Number: 21 CFR 862.1345 Regulation Name: Glucose Test System

Regulatory Class: Class II Product Code: NBW, CGA

Dated: July 3, 2001 Received: July 5, 2001

Dear Ms. Bolen:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4588. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours,

Steven I. Gutman, M.D., M.B.A.

Director

Division of Clinical Laboratory Devices

Steven Butman

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure



One Medline Place Mundelein, Illinois 60060,4486 1-847-837-2843 WATS: 7-800-950-0128 Fax: 1-847-949-2643

Stacey L. Bolen Regulatory Specialist

Section 2.0	Intended Use			Page _	1	of	1
510(k) Number Device Name:	er (if known): <u>KOL</u> EvenCare™ Blood (1240 Glucose Monito	oring System				· · · · · · · · · · · · · · · · · · ·
Indications fo	r Use:						
of alucase in	TM Blood Glucose Mo fresh capillary whole b linical settings as an ai	lood. It is inter	nded for use outside th	ne body by	y ala	asure betics	ment at
(PLEASE DO N	NOT WRITE BELOW TH	IS LINE – CONTI	NUE ON ANOTHER PA	GE IF NEE	EDEC))	
Concurrence	of CDRH, Office of	Device Evalua	tion (ODE)		_		
Prescription (Per 21 CFR	801.109)	OR	Over-the-Counter U	Jse		-	
	·	15 .10	. 0.0				
	(Option	nal Format 12	-96)				